Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5799010".pn.	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:54
S2		hazanchuk-asher.in. and (((second near3 correlat\$3) near3 (first near3 sampl\$3)) same (second adj2 clock))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:56
S3	0	375/343.ccls. and (((second near3 correlat\$3) near3 (first near3 sampl\$3)) same (second adj2 clock))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:57
S4	6	hazanchuk-asher.in.	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:56
S5	14	375/343.ccls. and ((second near3 correlat\$3) near3 (first near3 sampl\$3))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:19
S6	0	S5 and (correlat\$3 near3 (first near3 (clock adj2 cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:59
S7	0	S5 and ((first near3 (clock adj2 cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:59
S8	2	S5 and (((clock adj2 cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 10:59
S9	16	(rake or match\$3) same ((first near3 second) adj2 (clock adj2 cycle\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02.11:03

						•
S10	0	(rake) same ((first near3 second) adj2 (clock adj2 cycle\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:03
S11	1	(correlat\$3) same ((first near3 second) adj2 (clock adj2 cycle\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:03
S12	57	375/343.ccls. and ((second near3 correlat\$3) near3 (second near3 sequence\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:43
S13	1	(second adj2 sample\$1 adj2 sequence\$1) near3 (second near3 clock\$3 near3 cycle\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02,11:44
S14	0	(first adj2 sample\$1 adj2 sequence\$1) near3 (first near3 clock\$3 near3 cycle\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF .	2006/11/02 11:45
S15	.0	(first adj2 sample\$1 adj2 sequence\$1) same (first near3 clock\$3 near3 cycle\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:45
S16	3	(first adj2 sample\$1 adj2 sequence\$1) same (first near3 clock\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:46
S17	81	(first near3 sequence\$1) near3 (first near3 clock\$3 near3 cycle\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 11:47
S18	0	(first near3 sampl\$3 near3 sequence\$1) near3 (first near3 clock\$3 near3 cycle\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:04
S19	11	ppt near3 correlat\$3	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:06

S20	0	(parallel near3 sample\$1) same (parallel near3 correlat\$3) same "tdm"	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:06
S21	11	"ppt" near3 correlat\$3	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:06
S22	57	(parallel near3 sample\$1) same (parallel near3 correlat\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:29
S23	. 1	((multiple or plurality or two or many) near3 (sample\$1 near3 sequence)) near3 (second near3 correlat\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:33
S24	28	((multiple or plurality or two or many) near3 (sequence)) near3 (second near3 correlat\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:44
S25	1	"6729298".pn.	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:43
S26	1	"6728298".pn.	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:44
S27	402	(first near3 sequence) near3 (first near3 correlat\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:44
S28	265	S27 and ((multiple or plurality or two or many) near3 (sequence\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:45
S29	1	S28 and (second near3 (clock adj2 cycle))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:51

			· · · · · · · · · · · · · · · · · · ·			
S30	0	(first near3 plurality near3 sampl\$3 near3 sequence\$1) near3 (matched adj2 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 12:52
S31	1	(first near3 plurality near3 sequence\$1) near3 (matched adj2 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 13:06
S32	4	(first near3 sampl\$3 near3 sequence\$1) near3 (matched adj2 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 13:09
S33	176	((first or different or each) near3 "pn") same ((first or different or each) near3 correlat\$3)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 13:12
S34	7	S33 and (((first or different or each) near3 "pn") near3 ((first or different or each) near3 clock\$3))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/02 13:13
S35	0	"6212223".pn. and coefficient\$1	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 08:01
S36	3992	(shift adj2 register\$1) same (sampl\$3 near3 register\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR .	OFF	2006/11/09 08:02
S37	87	375/150.ccls. and ((shift adj2 register\$1) same (sampl\$3 near3 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 08:03
S38	16	S37 and (parallel same (sampl\$3 near3 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 08:03
S39	26	375/150.ccls. and ((shift adj2 register\$1) same (sampl\$3 adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR ·	OFF	2006/11/09 08:54

				_		
S40	. 8	S38 and (parallel same (sampl\$3 adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 08:03
S41	101	375/150.ccls. and ((shift adj2 register\$1) and (sampl\$3 near3 (group\$1 or frame\$1 or block\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 08:55
S42	23	S41 and (parallel near3 (shift adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 08:55
S43	56	375/150.ccls. and ((shift adj2 register\$1) and (sampl\$3 adj2 (group\$1 or frame\$1 or block\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 09:47
S44	17	S43 and (parallel near3 (shift adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	.OFF	2006/11/09 09:47
S45	188	(cod\$3 adj2 sequence) near3 coefficient\$1	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 09:46
S46	38	S45 and (parallel near3 (shift adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR ·	OFF	2006/11/09 09:47
S47	. 11	(cod\$3 adj2 sequence\$1) near3 (sampl\$3 adj2 (group\$1 or frame\$1 or block\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 09:51
S48	180	contiguous near3 (sampl\$3 adj2 (group\$1 or frame\$1 or block\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 11:35
S49	40	(first near3 correlat\$3) near3 (first near3 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 11:38

S50	5	S49 and (shift adj2 register\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 11:37
S51	11	(first adj2 correlat\$3) near3 (first adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 11:42
S52	4	375/150.ccls. and ((first adj2 correlat\$3) near3 (first adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 11:44
S53	3	375/150.ccls. and ((second adj2 correlat\$3) near3 (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:21
S54	1	"4160240".pn. and parallel	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 12:00
S55	40	(first near3 correlat\$3) near3 (first near3 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:20
S56	1	S55 and (parallel near3 (shift adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:21
S57	12147	(parallel near3 (shift adj2 register\$1))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:24
S58	0	S57 and ((second adj2 correlat\$3) near3 (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:23
S59	0	S57 and ((second adj2 correlat\$3) same (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:22

S60	0	S57 and ((correlat\$3) near3 (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:32
S61	11	((second adj2 correlat\$3) near3 (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:31
S62	2	S61 and (shift adj2 register\$1)	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:24
S63	77	(rake or finger\$1 or (matched adj2 filter\$1)) same (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1)))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:32
S64	0	S63 and ((correlat\$3) near3 (second adj2 ((clock\$3 or tim\$3) adj2 (period\$1 or cycle\$1))))	US-PGPUB; USPAT; USOCR; FPRS; JPO; IBM_TDB	OR	OFF	2006/11/09 14:32